To Do

1. Bring data books in to NIH (all)
2. Make KR HCO_3^-
3. Clean lab (no changes) - Check on glassware etc. - pipettes
4. Get
   1. Swiss mice ♂ - adult
   2. Ehrlich tumor - Inject 12 animals
   3. Warburg.
   4. Pfanstiel - glucose & fructose
   5. See Ben about C-labeled galactose - What is sp. ct?
   6. Data book & note-book
   7. Find out about counting equipment.

5. Find out where library is. Look up testosterone analogs.
   a) Possibly contact Gordon Tomkins for them
   (Find out about central supply (chem. supply)
6. Get set up for effect of testosterone on galactose uptake EATC.
7. Get Insurance
8. List name with Post Office at NIH for mail
9. Call Stetten
   a) contact American Cancer Soc. & tell them I should work.
   b) Perhaps his secretary can do this.
10. Galactose uptake expt.

Set-up: Incubate EATC with & without test. Aerobic. - 25°C. Incubate in Ignition tubes. Centrifuge at 1 min, 5, 10, 15, 20, 30 min. Spin down hard for 5 min. at 25° (room temp). Plate 0.1 ml aliquots in duplicate.

Homog. cell pack by taking up in 0.01 M deoxycholate. Hyp. protein with Ba-Zn. Plate.

Save in deep freeze.